LOAN DOCUMENT LEVEL INVENTORY H **DISTRIBUTION STATEMENT A** Approved for Public Release Distribution Unlimited DISTRIBUTION STATEMENT 000 DTIC UNANNOUNCER **JUSTIFICATION** DISTRIBUTION/ AVAILABILITY CODES AVAILABILITY AND/OR SPECIAL DATE ACCESSIONED DISTRIBUTION STAMP DATE RETURNED 20001215 104 DATE RECEIVED IN DTIC REGISTERED OR CERTIFIED NUMBER PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-FDAC

DTIC QUALITY INSPECTOD 4

DTIC POPM 70A

DOCUMENT PROCESSING SHEET LOAN DOCUMENT

PLEVIOUS EDITIONS MAY BE USED UNTIL

INTERIM REPORT November 10, 1992

**FOR** 

# **BIOVENTING FIELD INITIATIVE**

AT

SITE UST 173 ROBINS AIR FORCE BASE, GEORGIA

to

Captain Catherine M. Vogel
Department of the Air Force
Building 1117
HQ AFESC/RDVW
Tyndall AFB, Florida 32403-6001

by

BATTELLE Columbus Operations 505 King Avenue Columbus, Ohio 43201-2693

AQM01-03-0555

	DEFENSE TECHNICAL INFORMATION CENTER REQUEST FOR SCIENTIFIC AND TECHNICAL REPORTS					
Tit	AFCEE Collection	Angelon of the first of the fir	N			
14	Hallas 1831 1913   1914   pp point with the comment of supportance of an all 44 (44 1486) 11 ft with 1884 11 ft					
	Report Availability (Please check one box)  This report is available, Complete sections 2a - 2f.	2s. Number of Copies Forwarded	2b. Forwarding Date			
	This report is not available. Complete section 3.	Leach	July/2000			
	. Distribution Statement (Please check ONE DOX)	`	01			
	D Directive 5230.24, "Distribution Statements on Technical Documents cribed briefly below. Technical documents MUST be assigned a distrib		n distribution statements, as			
M	DISTRIBUTION STATEMENT A: Approved for public rel	lease. Distribution is a	unlimited.			
	DISTRIBUTION STATEMENT B: Distribution authorized	to U.S. Government	Agencies only.			
	DISTRIBUTION STATEMENT C: Distribution authorized contractors.	to U.S. Government.	Agencies and their			
	DISTRIBUTION STATEMENT D: Distribution authorized DoD contractors only.	to U.S. Department c	of Defense (DoD) and U.S.			
	DISTRIBUTION STATEMENT E: Distribution authorized components only.	to U.S. Department c	rí Defansa (DoD)			
	DISTRIBUTION STATEMENT F: Further dissemination a indicated below or by higher authority.	only as directed by the	e controlling DoD office			
	DISTRIBUTION STATEMENT X: Distribution authorized individuals or enterprises eligible to obtain export-control Directive 5230.25, Withholding of Unclassified Technical	lled technical data in a	ccordance with DoD			
2d.	Reason For the Above Distribution Statement (in accor-	dance with DoD Directive !	5230.24)			
2e,	Controlling Office	2f. Date of Distr	ibution Statement			
	HQ AFLEE		1 2000			
	This report is NOT forwarded for the following reasons	s. (Please check appropri	atc box)			
J	It was previously forwarded to DTIC on (di	ate) and the AD numbe	·			
<b>]</b>	It will be published at a later date. Enter approximate date	e if known.				
<b>3</b>	in accordance with the provisions of DoD Directive 3200, because:	12, the requested doc	ument is not supplied			
**			**************************************			
**	MANAGEMENT ASSESSMENT OF THE PROPERTY OF THE P	### ********	rn 1997 of the company of states (bullet design of the copy of the			
2	tor Type Name Signal	3973 Clar 12 / 6				
21 21	UVA PLNA phone 10-536-1431	AQ Number /	401-03-0555			

# TABLE OF CONTENTS

1.0	INTRODUCTION	1 1 2
2.0	CHRONOLOGY OF EVENTS AND SITE ACTIVITIES  2.1 Soil Gas Survey  2.2 Vent Well and Monitoring Point Installation  2.3 Soil and Soil Gas Sampling and Analyses  2.4 Soil Gas Permeability and Radius of Influence  2.5 In Situ Respiration Test	2 2 4 8 8
3.0	3.1 Soil and Soil Gas Analyses	11 11 11 11
4.0	BACKGROUND AREA	17
5.0	FUTURE WORK	17
	REFERENCE	
API	PENDIX A: ANALYTICAL REPORT FOR SITE UST 173	<b>\-</b> 1
API	PENDIX B: SITE UST 173 SOIL GAS PERMEABILITY DATA E	B-1
API	PENDIX C: SITE UST 173 IN SITU RESPIRATION TEST DATA	<b>C-1</b>
	LIST OF TABLES	
Tab Tab Tab	ole 4. Results of Hyperventilate™ Soil Gas Permeability Analysis	
	LIST OF FIGURES	
Fig	ure 1. Schematic Diagram of Site UST 173 at Robins AFB	3 6 7

	Schematic Diagram of a Typical Monitoring Point Construction at Site UST 173	
	Calculation of Radius of Influence at Site UST 173	14
Figure 6.	Oxygen Utilization During In Situ Respiration Test at Monitoring Point R1-MPA-	
	14′3″	
	Schematic Diagram of Vent Well Construction at the Background Area	
Figure 8.	Oxygen Utilization During In Situ Respiration Test at Background Area	19

#### **INTERIM REPORT**

# BIOVENTING FIELD INITIATIVE AT SITE UST 173 ROBINS AIR FORCE BASE, GEORGIA

#### 1.0 INTRODUCTION

This report describes the activities conducted at Robins Air Force Base (AFB), Georgia, Site UST 173 as part of the Bioventing Field Initiative for the U.S. Air Force Center for Environmental Excellence (AFCEE). This report summarizes the results from the first phase of the study at Robins AFB which includes a soil gas survey, air permeability test, in situ respiration tests, and installation of bioventing systems. The specific objectives of this task are described in the following section.

# 1.1 Objectives

The purpose of these field test methods is to measure the soil gas permeability and microbial activity at a contaminated site and to evaluate the potential application of the bioventing technology to remediate the site. The specific test objectives are stated below.

- A small-scale soil gas survey will be conducted to identify an appropriate location for
  installation of the bioventing system. Soil gas from the candidate site should exhibit
  relatively high total petroleum hydrocarbon (TPH) concentrations, relatively low oxygen
  concentrations, and relatively high carbon dioxide concentrations. An uncontaminated
  background location will also be identified.
- The soil gas permeability of the soil and the air vent (well) radius of influence will be determined. This will require air to be withdrawn or injected for approximately 8 hours at vent wells located in contaminated soils. Pressure changes will be monitored in an array of monitoring points.
- Immediately following the soil gas permeability test, an in situ respiration test will be conducted. Air will be injected into selected monitoring points to aerate the soils. The in situ oxygen utilization and carbon dioxide production rates will be measured.
- Using the data from the soil gas permeability and in situ respiration tests, an air injection/withdrawal rate will be determined for use in the bioventing test. A blower will be selected, installed, and operated for 6 to 12 months, and periodic measurements of the soil gas composition will be made to evaluate the long-term effectiveness of bioventing.

# 1.2 Site Description

Robins AFB is located approximately 10 miles south of Macon, Georgia, adjacent to the town of Warner Robins, Georgia. Site UST 173 had a 1,500-gallon diesel tank next to Building 173 on the base that was abandoned in place approximately 20 years ago. The tank was removed in October 1989. Site investigation activities conducted subsequent to the tank removal indicated residual soil contamination. The site was re-excavated, and approximately 200 cubic yards of soil were removed for disposal. Soil contamination remained on the southern boundaries of the excavation, but could not be removed without undermining the foundation of a gazebo on site. Soil samples taken from the south wall of the excavation pit exhibited TPH concentrations as high as 22,600 ppm. Elevated concentrations of benzene, toluene, ethylbenzene, and xylenes (BTEX) also were detected. Figure 1 is a schematic diagram of Site UST 173. Soil borings taken at the site during the site investigation show dense, clayey sand to a depth of approximately 5 feet; coarse sand and gravel to approximately 25 feet; and stiff, tannish white clay below 25 feet. All borings were terminated in the stiff clay, and no groundwater was encountered.

# 2.0 CHRONOLOGY OF EVENTS AND SITE ACTIVITIES

# 2.1 Soil Gas Survey

A site deemed suitable for the bioventing demonstration should have soil gas characteristics of low oxygen, high carbon dioxide, and high TPH. This composition of soil gas would indicate that oxygen-limiting conditions for microbial activity are present and that the introduction of air may enhance biodegradation of TPH.

A limited soil gas survey was conducted to locate a suitable test area at Site UST 173 on August 25, 1992. Soil gases were sampled by driving a %-inch-diameter stainless steel probe into the soil with a hammer drill. Soil gas was withdrawn with a vacuum pump and analyzed for oxygen, carbon dioxide, and TPH.

Measurements of oxygen and carbon dioxide in the soil gas were made with a GasTech Model 32530X with oxygen and carbon dioxide ranges of 0 to 25%. The analyzer was calibrated daily against atmospheric oxygen, atmospheric carbon dioxide, a 10% oxygen calibration standard, and a




Figure 1. Schematic Diagram of Site UST 173 at Robins AFB

5% carbon dioxide calibration standard. TPH was measured with a GasTech Trace Techtor with TPH ranges from 0 to 100, 0 to 1,000, and 0 to 10,000 ppm. The GasTech Trace Techtor was calibrated daily against a 4,200 ppm hexane standard.

The soil gas probes were driven to depths ranging from 2.5 to 10.0 feet at several locations at Site UST 173. Table 1 provides the initial concentrations of oxygen, carbon dioxide, and TPH for the various locations at Site UST 173. Oxygen concentrations varied from 0 to 19.2%, whereas TPH concentrations ranged from 0 to greater than 20,000 ppm. These results indicate that, although not all areas of the site are oxygen-limited, some areas may respond to bioventing.

# 2.2 Vent Well and Monitoring Point Installation

On August 26, 1992, the vent well (VW) and three monitoring points were installed, and collection of soil samples for analyses was begun. The monitoring points were labelled R1-MPA, R1-MPB, and R1-MPC. The locations of the vent well and monitoring points are shown in Figure 1. A cross-section of the vent well and monitoring points is shown in Figure 2.

The vent well was installed at a depth of 23.3 feet into a 6-inch-diameter borehole. The vent well consisted of Schedule 40 2-inch-diameter polyvinyl chloride (PVC) piping with 10 feet of ten-slot screen. The annular space corresponding to the screened area of the well was filled with silica sand; the annular space above the screened interval was filled with bentonite to prevent short-circuiting of air to or from the surface. A schematic diagram of the vent well construction is shown in Figure 3.

Soil gas probes consisted of ¼-inch tubing with a 6-inch screened area ½-inch in diameter. The annular space corresponding to the screened area was filled with silica sand. The interval between the screened areas was filled with bentonite, as was the annular space from the shallowest monitoring point to the ground surface. The monitoring points were installed at depths as follows:

- Monitoring point R1-MPA was installed at a depth of 22'4" into a 6-inch-diameter borehole. The monitoring point was screened to three depths: 21'10", 14'3", and 6'10".
- Monitoring point R1-MPB was installed at a depth of 23'6" into a 6-inch-diameter borehole. The monitoring point was screened to three depths: 23', 15', and 8'.
- Monitoring point R1-MPC was installed at a depth of 23'6" into a 6-inch-diameter borehole. The monitoring point was screened to three depths: 23', 15', and 8'.

Table 1. Initial Soil Gas Composition at Site UST 173					
Soil Gas Survey (GS) Point	Depth (ft)	Oxygen (%)	Carbon Dioxide (%)	ТРН (ррт)	
GS-1	2.5	15	4.5	145	
	5	11.7	6.5	360	
	7.5	17.2	3.0	160	
	10	11	8.0	620	
GS-2	2.5	11	7.7	380	
	5	19.2	1.5	240	
	7.5	0	9.2	>20,000	
GS-3	2.5	9.5	7.2	380	
	. 5	19	1.5	88	
i	7.5	12	5.6	230	
	10	14	5.5	280	
GS-4	2.5	12.3	5.8	360	
	5	15.8	2.3	>10,000	
	7.5	18	1	1,200	
	10	11.5	7.5	380	
GS-6	2.5	8.5	9.5	100	
	5	15	4.2	84	
GS-8	2.5	13.8	2.5	100	
	5	17.5	4.1	0	

Figure 2. Cross-Section of Vent Well and Monitoring Points Location at Site UST 173




Figure 3. Schematic Diagram of the Vent Well Construction at Site UST 173

A schematic diagram of the construction detail of a typical monitoring point for this site is shown in Figure 4.

# 2.3 Soil and Soil Gas Sampling and Analyses

Soil boring samples were collected at depths of 4.0, 18.0, and 18.5 feet from the Site UST 173 vent well borehole and were labelled R1-V-4.0'-4.5', R1-V-18.0', and R1-V-18.5'-19.0'. The samples were sent under chain of custody to Engineering-Science Berkeley Laboratory for analysis of BTEX, TPH, iron, and soil chemistry. A soil sample was also taken from monitoring point R1-MPA at a depth of 8.5 feet and labelled R1-MPA-8.5'-10.0'. Soil gas samples also were collected from the vent well and from monitoring points R1-MPA and R1-MPC, and a sample of ambient air was taken. These samples were labelled R1-VW, R1-MPA-21'10", R1-MPC-15', and ambient. These samples were sent under chain of custody to Air Toxics, Ltd. in Rancho Cordova, California, for analysis of BTEX and TPH.

#### 2.4 Soil Gas Permeability and Radius of Influence

A detailed description of the method for conducting a soil gas permeability test, including equations to compute k, the soil gas permeability, is presented in "Test Plan and Technical Protocol for a Field Treatability Test for Bioventing" (Hinchee et al., 1992).

The monitoring points at Site UST 173 were allowed to set in place for 24 hours prior to air injection. A portable 1-horsepower (HP) explosion-proof positive displacement blower unit was used to inject air. After air injection was initiated, pressure readings were taken approximately every 1 to 2 minutes for the first hour, then approximately every 10 minutes for the following hour. The Hyperventilate<sup>TM</sup> computer model was used to calculate the soil gas permeability.

# 2.5 In Situ Respiration Test

Immediately following the soil gas permeability test at Site UST 173, air containing approximately 1% helium was injected into the soil for approximately 24 hours beginning on September 1. Air was injected concurrently into the background monitoring well to measure the




Figure 4. Schematic Diagram of a Typical Monitoring Point Construction at Site UST 173

natural biodegradation of organic material in the soil. The setup for the in situ respiration test was as described in "Test Plan and Technical Protocol for a Field Treatability Test for Bioventing" (Hinchee et al., 1992). The pump used for air injection was a 1/2-HP diaphragm pump. Air and helium were injected through monitoring points R1-MPA-14'3", R1-MPA-21'10", R1-MPC-15', and R1-MPC-23' at the depths indicated by the labels. After the air/helium injection was turned off, the respiration gases were monitored periodically. The respiration test was terminated on September 8.

Helium concentrations were measured during the in situ respiration test to quantify helium leakage to or from the surface around the monitoring points. As a rough estimate, the diffusion of gas molecules is inversely proportional to the square root of the molecular weight of the gas. Based on molecular weights of 4 for helium and 32 for oxygen, helium diffuses about 2.8 times faster than oxygen, or the diffusion of oxygen is 0.35 times the rate of helium diffusion. This ratio can then be used as a comparison when monitoring diffusion of oxygen based on helium loss.

To compare data from one site to another, a stoichiometric relationship of the oxidation of the hydrocarbon was assumed. Hexane was used as the representative hydrocarbon for the organic contaminant. The stoichiometric relationship is given by:

$$C_6H_{14} + 9.5O_2 - 6CO_2 + 7H_2O$$
 (1)

Based on the utilization rates (% per day), the biodegradation rates in terms of mg as hexane equivalent per kg of soil per day were computed using the equation below by assuming a soil porosity of 0.2 and a bulk density of 1,440 kg/m<sup>3</sup>.

$$K_{\beta} = -\frac{K_{o}AD_{o}C}{100}$$
 (2)

biodegradation rate (mg/kg/day) where: Ka

oxygen utilization rate (percent per day)

volume of air/kg of soil, in this case 300/1,440 = 0.21density of oxygen gas (mg/L) assumed to be 1,330 mg/L =

mass ratio of hydrocarbon to oxygen required for mineralization, assumed to be 1:3.5 from the above stoichiometric equation.

# 3.0 RESULTS AND DISCUSSION

# 3.1 Soil and Soil Gas Analyses

Results of the soil analyses for BTEX and TPH are presented in Table 2. Relatively low concentrations of the BTEX compounds were found in soil samples, with concentrations ranging from below the detection limit to 3.0 mg/kg. TPH concentrations were high in sample R1-MPA-8.5′-10.0′, while the other soil samples contained relatively low TPH concentrations. The soil gas analyses also showed relatively low BTEX and TPH concentrations with concentrations ranging from less than the detection limit up to 2.2 ppm of BTEX and from 27 to 300 ppm of TPH (Table 2). The results from the soil chemistry analyses are summarized in Table 3. The laboratory report for the BTEX, TPH, and the soil chemistry analysis is given in Appendix A.

# 3.2 Soil Gas Permeability and Radius of Influence

The raw data for the soil gas permeability test at Site UST 173 are presented in Appendix B. Using the Hyperventilate<sup>TM</sup> computer model, soil gas permeabilities were calculated at each of the monitoring points. These data are presented in Table 4. The soil gas permeability varied considerably between points with values ranging from 0.05 up to 10,200 darcy. The radius of influence for the vent well was calculated by plotting the log of the pressure at a specific monitoring versus the distance from the vent well (Figure 5). The radius of influence at Site UST 173 is estimated to be approximately 28 feet.

#### 3.3 In Situ Respiration Test

The results of the in situ respiration test for Site UST 173 are presented in Appendix C. Each figure in Appendix C illustrates the oxygen, carbon dioxide, and helium concentrations as a function of time. An example of typical oxygen utilization and carbon dioxide production at this site is shown in Figure 6, which shows oxygen, carbon dioxide, and helium at monitoring point R1-MPA-14'3". Oxygen utilization and carbon dioxide production rates were relatively low at this site at all monitoring points. The oxygen utilization and carbon dioxide production rates and corresponding biodegradation rates are summarized in Table 5. The biodegradation rates measured at this site were

Table 2. Results From Soil and Soil Gas Analyses for BTEX and TPH at Site UST 173						
Matrix Sample Name (mg/kg) (mg/kg) Total Ethyl Xylenes Benzene (mg/kg) (mg/kg) (mg/kg) (mg/kg) (mg/kg) (mg/kg)						
Soil	R1-V-4.0'-4.5'	< 0.29	< 0.33	3.0	0.33	37
	R1-V-18.5'-19.0'	< 0.0007	< 0.0008	0.0037	< 0.0006	8.0
	R1-MPA-8.5'-10.0'	< 0.0007	0.002	0.079	0.009	5,700
Matrix	Sample Name	Benzene (ppm)	Toluene (ppm)	Total Xylenes (ppm)	Ethyl Benzene (ppm)	TPH¹ (ppm)
Soil Gas	R1-VW	< 0.004	0.025	2.2	0.31	300
	R1-MPA-21'10"	< 0.002	0.052	0.81	0.055	290
	R1-MPC-15'	< 0.002	0.006	0.098	0.14	27
	Ambient Air <sup>2</sup>	< 0.002	< 0.002	< 0.002	< 0.002	0.20

<sup>&</sup>lt;sup>1</sup> TPH referenced to gasoline (Molecular Weight = 100) <sup>2</sup> Sample taken at R1-MPA.

Table 3. Results From Soil Chemistry Analyses at Site UST 173				
		Sample Name		
Parameter	R1-V-4.0'-4.5'	R1-MPA-8.5'-10.0'		
Alkalinity (mg/kg CaCO <sub>3</sub> )	< 50	< 50	<50	
Moisture (% by weight)	16.2	9.1	17.5	
pН	4.9	5.4	5.2	
Iron (mg/kg)	11,300	4,720	1,980	
Total Phosphorous (mg/kg)	110	64	79	
Total Kjeldahl Nitrogen (mg/kg)	110	92	68	
Particle Size Analysis	Gravel: 0%	Gravel: 3%	Gravel: 0%	
	Sand: 49%	Sand: 40%	Sand: 59%	
	Silt: 20%	Silt: 37%	Silt: 22%	
	Clay: 31%	Clay: 20%	Clay: 19%	

Table 4. Results of Hyperventilate™ Soil Gas Permeability Analysis					
Monitoring Point Depth Soil Gas Permeability (day					
R1-MPA	6′10″	0.050			
·	14′3″	570			
	. 21′10″	10,200			
R1-MPB	8′	180			
	15'	320			
	23'	140			
R1-MPC	8′	44			
	15′	0.17			
	23′	770			




Figure 5. Calculation of Radius of Influence at Site UST 173




Figure 6. Oxygen Utilization During In Situ Respiration Test at Monitoring Point R1-MPA-14'3"

Table 5. Oxygen Utilization and Carbon Dioxide Production Rates During In Situ Respiration Test at Site UST 173						
Sample Name	Oxygen Utilization Rate (%/hour)	Biodegradation Rate (mg/kg/day)	Carbon Dioxide Production Rate (%/hour)	Biodegradation Rate (mg/kg/day)		
Background	0	0	0	0		
R1-MPA-14'3"	0.039	0.75	0.015	0.31		
R1-MPA-21'10"	0.028	0.54	0.031	0.68		
R1-MPC-15'	0.029	0.56	0.024	0.51		
R1-MPC-23'	0.020	0.38	0.015	0.31		

fairly consistent between the monitoring points, with rates ranging from 0.38 to 0.75 mg/kg/day based upon oxygen and from 0.31 to 0.68 mg/kg/day for carbon dioxide, with a fairly good correlation between the oxygen utilization and carbon dioxide production rates.

Loss of helium was insignificant at all monitoring points, indicating that the monitoring points were well-sealed and that the oxygen depletion observed was a result of biodegradation.

# 3.4 Bioventing Demonstration

The decision was made to install a bioventing system at Site UST 173. The same blower that was used for the soil gas permeability test was installed for the bioventing system. Continuous air injection was initiated on September 4th at a flow rate of 12 cubic feet per minute (cfm).

# 4.0 BACKGROUND AREA

A background vent well was installed on August 31, 1992. The depth of this vent well was 23 feet. Ten feet were screened using Schedule 40, 2-inch-diameter, 10 slot PVC, and the remaining 13 feet consisted of Schedule 40, 2-inch-diameter PVC riser. The first 15 feet of the vent well was surrounded by sand, while 6 of the remaining 8 feet was enclosed by bentonite to seal the vent well. A schematic diagram of the vent well construction is shown in Figure 7.

An in situ respiration test was conducted at the background area beginning on September 5 after 24 hours of air injection. The test was concluded on September 9. No significant biodegradation was detected in this area as shown in Figure 8.

#### 5.0 FUTURE WORK

Base personnel will be required to perform a simple weekly system check to ensure that the blower is operating within its intended flow rate, pressure, and temperature range. This check must be coordinated with the base Point-of-Contact (POC). An on-site briefing for base personnel who will be responsible for blower system checks was conducted. The principle of operation was explained, and a simple checklist and logbook were provided for blower data. Base personnel will perform




Figure 7. Schematic Diagram of Vent Well Construction at the Background Area




Figure 8. Oxygen Utilization During In Situ Respiration Test at Background Area

minor maintenance activities, such as replacing filters or gauges, or draining condensate from knockout chambers, but they will not be expected to perform complicated repairs or analyze gas samples. Replacement filters and gauges will be provided and shipped to the base by the contractor. Serious problems such as motor or blower failures will be corrected by the contractor.

The progress of this system will be monitored by conducting semiannual respiration tests in the vent well and in each monitoring point, and by regularly measuring the oxygen, carbon dioxide, and hydrocarbon concentrations in the extracted soil gas and comparing them to background levels. Soil gas monitoring will be performed on a quarterly basis. Semiannual respiration tests will be performed. At least twice each year, the progress of the bioventing test will be reported to the base POC.

#### 6.0 REFERENCE

Hinchee, R.E., S.K.Ong, R.N.Miller, D.C.Downey, and R.Frandt. 1992. "Test Plan and Technical Protocol for a Field Treatability Test for Bioventing," Revision 2.

# APPENDIX A ANALYTICAL REPORT FOR SITE UST 173

RESEARCH AND DEVELOPMENT LABORATORY 600 BANCROFT WAY BERKELEY, CALIFORNIA 94710 (415) 841-7353

# **ENGINEERING-SCIENCE, INC.**

Report Date: October 9, 1992

Work Order No.:4294

Client:

Jeff Kittel Battelle

505 King Ave.

Columbus, OH 43201

Date of Sample Receipt: 09/01/92

Your soil samples identified as:

R1-A-8.5'-10 R1-V-4.0'-4.5'

were analyzed for BTEX by EPA Method 8020, pH, alkalinity, iron, total Kjeldahl nitrogen, mositure, TRPH by EPA Method 418.1, soil classification by ASTM D422 and total phosphorus.

In addition your soil sample identified as:

R1-V-18'

was analyzed for pH, alikalinity, iron, total Kjeldahl nitrogen, moisture soil classification by ASTM D422 and total phosphorus.

Finally your soil sample identified as:

R1-V-18.5-19'

was analyzed for BTEX by EPA Method 8020 and TRPH by EPA Method 418.1.

The analytical reports for the samples listed above are attached.

# LEGEND FOR INORGANIC RESULT QUALIFIERS

- U The analyte was analyzed for but not detected.
- B Reported value is less than Reporting limit but greater than the IDL.
- N Spiked sample recovery not within control limits.
- S Reported value was determined by the Method of Standard Additions.
- \* Duplicate analysis not within control limits.
- W Post digestion spike for Furance AA analysis out of control limits (85-115%), while sample absorbane is less than 50% of spike absorbance
- + Correlation co-efficient for MSA is less than 0.995.
- E The reported value is estimated because of the presence of interference.
- Quality Control indicates that data are not usable (compound may or may not be present). Re-sampling and re-analysis is necessary for verification.
- M Duplicate injection precision not met.

GC VOLATILES DATA PACKAGE

Berkeley, CA 94710

GC ANALYTICAL REPORT Analytical Method 8020 Aromatic Compounds

Work Order NO.: 4294

Client ID:R1-A-8.5'-10'

Laboratory ID:4294-1

% Moisture: 17.5

Matrix:SOIL

Level:LOW

Unit:ug/KG

Dilution Factor:

Date Analyzed:09/04/92 Date Confirmed: 09/08/92

Compound	Primary Result	Confirmatory Result	Reportin Limit
		<b>, , , , , , , , , , , , , , , , , , , </b>	
Benzene	ND	ND	0.7
Ethyl Benzene	6.3	9.0	0.6
Toluene	2.7	2.0	0.8
Xylenes (total)	89.6	79.0	1.1

ND-Not Detected NA-Not Applicable D-Dilution Factor

ANALYST: AD

GROUP LEADER:

# GC ANALYTICAL REPORT Analytical Method 8020 Aromatic Compounds

Work Order NO.: 4294

% Moisture: 16.2

Client ID:R1-V-4.0'-4.5'

Matrix:SOIL

Laboratory ID:4294-2

Level:MEDIUM

Unit:ug/KG

Dilution Factor:

4

Date Analyzed:09/08/92 Date Confirmed:09/09/92

Compound	Primary Result	Confirmatory Result	Reporting Limit
	Kesuit	Result	
Benzene	ND	ND	290.0
Ethyl Benzene	330.0	330.0	240.0
Toluene	ND	ND	330.0
Xylenes (total)	1200	3000.0	430.0

ND-Not Detected NA-Not Applicable D-Dilution Factor

ANALYST: 67

GROUP LEADER: Know

ES-ENGINEERING SCIENCE, INC.

600 Bancroit Way Berkeley, CA 94710

# GC ANALYTICAL REPORT Analytical Method 8020 Aromatic Compounds

Work Order NO.: 4294

% Moisture: 14.9

Client ID:R1-V-18.5'-19'

Matrix:SOIL

Laboratory ID:4294-4

Level:LOW

Unit:ug/KG

Dilution Factor:

Date Analyzed:09/08/92

Date Confirmed: 09/04/92

Compound	Primary Result	Confirmatory Result	Reporti: Limit
			通信发达亚洲美国 电弧电路
Benzene	ND	ND	0.7
Ethyl Benzene	ND	ND	0.6
Toluene	ND	ND	0.8
Xylenes (total)	1.1	3.7	1.0

ND-Not Detected NA-Not Applicable D-Dilution Factor

ANALYST:

GROUP LEADER: June

# GC ANALYTICAL REPORT Analytical Method 8020 Aromatic Compounds

Work Order NO.:4294

% Moisture:NA

Client ID: METHOD BLANK

Matrix:SOIL

Laboratory ID:MSVG5920904

Level:LOW

Unit:ug/KG

Dilution Factor:

Date Analyzed:09/04/92

Date Confirmed:

	Compound	Primary Result	Confirmatory Result	Reporting Limit
==	: = = = = = = = = = = = = = = = = = = =			
	Benzene	ND	ND	0.6
	Ethyl Benzene	ND	ND	0.5
	Toluene	ND	ND	0.7
	Xylenes (total)	ND	ND	0.9

ND-Not Detected NA-Not Applicable D-Dilution Factor

ANALYST: MY

GROUP LEADER: L. SOM

600 Bancroft Way Berkeley, CA 94710

# GC ANALYTICAL REPORT Analytical Method 8020 Aromatic Compounds

Work Order NO.:4294

% Moisture:NA

Client ID: METHOD BLANK

Matrix:SOIL

Laboratory ID: MWVG5920909

Level: MEDIUM

Unit:ug/KG

Dilution Factor:

Date Analyzed:09/09/92

Date Confirmed: NA

	Compound	Primary Result	Confirmatory Result	Reporting Limit
= =	******			202233
	Benzene	ND	ND	60.0
	Ethyl Benzene	ND	ND	50.0
	Toluene	ND	ND	70.0
	Xylenes (total)	ND	ND	90.0

ND-Not Detected NA-Not Applicable D-Dilution Factor

ANALYST:

GROUP LEADER: Com

# GC ANALYTICAL REPORT Analytical Method 8020 Aromatic Compounds

Work Order NO.:4294

% Moisture:NA

Client ID: METHOD BLANK

Matrix:SOIL

Laboratory ID:MSVG3920908B

Level:LOW

Unit:ug/KG

Dilution Factor:

1

Date Analyzed:09/08/92

Date Confirmed:

Compound	Primary	Confirmatory	Reporting
	Result	Result	Limit -
Benzene	ND	ND	0.6
Ethyl Benzene	ND	ND	0.5
Toluene	ND	ND	0.7
Xylenes (total)	ND	ND	0.9

ND-Not Detected NA-Not Applicable D-Dilution Factor

ANALYST:

GROUP LEADER: LUCA

# GC ANALYTICAL REPORT Analytical Method 8020 Aromatic Compounds

Work Order NO.: 4294

% Moisture:NA

Client ID: METHOD BLANK

Matrix:SOIL

Laboratory ID:MWVG3920908B

Level: MEDIUM

Unit:ug/KG

Dilution Factor: 1

Date Analyzed:09/08/92

Date Confirmed: NA

Compound	Primary Result	Confirmatory Result	Reportir Limit _
	.======================================	**********	
Benzene	ND	ND	60.0
Ethyl Benzene	ND	ND	50.0
Toluene	ND .	ND	70.0
Xylenes (total)	ND	ND .	90.0

ND-Not Detected NA-Not Applicable D-Dilution Factor

ANALYST: #5

GROUP LEADER: Australia

WO # 4294

LAB NAME : ENGINEERING-SCIENCE, INC. DATE ANALYZED :09/08/92

LAB SAMPLE ID:MWVG3920908B

DATE EXTRACTED : NA

MATRIX : MEDIUM SOIL

LAB	CLIENT	DATE
SAMPLE ID	SAMPLE ID	ANALYZED
MWVG3920908B	METHOD BLANK	09/08/92
4294-2	R1-V-4.0-4.5'	09/08/92

WO # 4294

LAB NAME : ENGINEERING-SCIENCE, INC. DATE ANALYZED :09/09/92

LAB SAMPLE ID: MWVG5920909

DATE EXTRACTED : NA

MATRIX : MEDIUM SOIL

LAB	CLIENT	DATE
SAMPLE ID	SAMPLE ID	ANALYZED
MWVG5920909 4294-2	METHOD BLANK R1-V-4.0-4.5'	09/09/92 09/09/92

## WO # 4294

LAB NAME : ENGINEERING-SCIENCE, INC. DATE ANALYZED :09/04/92

LAB SAMPLE ID: MSVG5920904

DATE EXTRACTED : NA

MATRIX :SOIL

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED
	VORUS DE ANY	09/04/92
MSVG5920904	METHOD BLANK	09/04/92
SSVG5920904A	SPIKE	09/04/92
SSVG5920904B	SPIKE DUP	09/04/92
4294-1	R1-A-8.5'-10'	09/04/92
4294-4	R1-V-18.5'-19'	09/04/92

## WO # 4294

LAB NAME : ENGINEERING-SCIENCE, INC. DATE ANALYZED :09/08/92

LAB SAMPLE ID:MSVG3920908B

DATE EXTRACTED : NA

MATRIX :SOIL

LAB	CLIENT	DATE
SAMPLE ID	SAMPLE ID	ANALYZED
MSVG3920908B	METHOD BLANK	09/08/92
4294-1	R1-A-8.5'-10'	09/08/92
4292-4	R1-V-18.5'-19'	09/08/92

600 BANCROFT WAY ES-ENGINEERING SCIENCE, INC. BERKELEY, CA 94710 GC ANALYTICAL REPORT ANALYTICAL REPORT BTEX AROMATIC COMPOUNDS COLUMN ID: VGC-5 DB624 DATE:09/09/92 MATRIX: MEDIUM SOIL CLIENT ID a-a-a-TriFluoro LABORATORY NO. Toluene METHOD BLANK 97 MWVG5920909 R1-V-4.0'-4.5' 62 4294-2

ES-ENGINEERING SCIENCE	, INC.		600 BANCROFT WAY BERKELEY, CA 94710
	GC ANALYTICAL ANALYTICAL RE BTEX AROMATIC	PORT	
MATRIX: MEDIUM SOIL	COLUMN ID:	VGC-3 VOCOL	DATE: 09/08/92
			****************
LABORATORY NO.		CLIENT ID	a-a-a-TriFluoro Toluene
MWVG3920908B 4294-2		METHOD BLANK R1-V-4.0'-4.5'	118 52

600 BANCROFT WAY ES-ENGINEERING SCIENCE, INC. BERKELEY, CA 94710 GC ANALYTICAL REPORT ANALYTICAL REPORT BTEX AROMATIC COMPOUNDS MATRIX: SOIL COLUMN ID: VGC-3 VOCOL DATE:09/08/92 LABORATORY NO. CLIENT ID a-a-a-TriFluoro Toluene METHOD BLANK 110 MSVG3920908B R1-A-8.5'-10' 77 4294-1 R1-V-18.5'-19' 97 4294-4

ES-ENGINEERING SCIENCE	,INC.		600 BANCROFT WAY BERKELEY, CA 94710
	GC ANALYTICAL ANALYTICAL RE BTEX AROMATIC	PORT	
MATRIX: SOIL	COLUMN ID:	VGC-5 DB624	DATE: 09/04/92
LABORATORY NO.		CLIENT ID	a-a-a-TriFluoro Toluene
=======================================		****	
MSVG5920904		METHOD BLANK	99
SSVG5920904A		SPIKE	105
SSVG5920904B		SPIKE DUP	101
4294-1		R1-A-8.5'-10'	73
4294-4		R1-V-18.5'-19'	88

# TOTAL RECOVERABLE PETROLEUM HYDROCARBONS DATA PACKAGE

600 Bancroft Way Berkeley,CA 94710

ORGANIC ANALYTICAL REPORT

Work Order NO.: 4294

Matrix: Soil

Parameter: TPH

Unit: mg/Kg

Analytical

Method: 418.1

Date Extracted: 09/15/92

QC Batch NO.: S92QCB023TPH

Date Analyzed: 09/22/92

		:========		
Sample ID:	Client ID:	Result	Reporting Limit	Percent Moisture
		========		
4294-01	R1-A-8.5'-10'	5700	5	17.5
4294-02	R1-V-4.0'-4.5'	37	5	16.2
4294-04	R1-V-18.5'-19'	8	5	14.9
MSTPH920915	METHOD BLANK	ND	4	NA

NA\_ Not Analyzed ND\_ Not Detected

ANALYST:

GROUP LEADER:

hund

ES-ENGINEERING SCIENCE, INC.

600 Bancroft Way Berkeley. CA 94710

# ORGANIC QUALITY CONTROL RESULTS SUMMARY Blank Spike/Spike Duplicate

Work Order NO.: 4294

QC Sample NO.: SSTPH920915A & B

Analytical Method: 418.1

Blank I.D.: MSTPH920915

Matrix: Soil

QC Batch NO.: S92QCB023TPH

Unit: mg/Kg

			=====			.=======	. = = = = = =		=
Parameter	Date								
	Analyzed	BR	SA	BS	PR	BSD	PR	RPD	
========							======		=
TPH	09/22/92	0	165	176	107	172	104	2	

BS-Blank Spike
BSD-Blank Spike Duplicate
SA-Spike Added
BR\_Blank Result
NA-Not Applicable
NC-Not Calculated
ND-Not Detected

RPD = ((BS-BSD)/((BS+BSD)/2))\*100

PR=((BS OR BSD -BR)/SA)\*100

ANALYST:

QUALITY CONTROL:

\_\_\_\_MB\_\_\_\_

## **INORGANICS DATA PACKAGE**

## INORGANICS ANALYTICAL REPORT

Client:

ES-Denver

Work Order:

4294

Project:

AFCEE

Matrix:

Solid

Client's ID:

R1-A R1-V -8.5'-10' -4.0'-4.5'

R1-V -18'

08/26/92 Sample Date: 08/27/92 08/26/92

% Moisture:

4294.02 4292.03 4294.01 Lab ID:

Parameter		Results	·	Method	Normal Report Limit	Units	Date Analyzed
Alkalinity	ND	ND	ND	SM 403(M)	50	mg/Kg CaCO3	09/10/92
Moisture	17.5	16.2	9.1	ASTM D2216	.1	% by wt	09/04/92
pH	5.2	4.9	5.4	EPA 9045	NA	pH Units	09/15/92

Samples for alkalinity analysis were extracted using 10mL water for each 1g sample. These water extracts were analyzed for alkalinity, and the results were calculated in the solid on a dry-weight basis.

NA- Not Applicable ND- Not Detected

GROUP LEADER:

### INORGANICS ANALYTICAL REPORT

Client:

ES-Denver

Work Order:

4294

Project:

AFCEE

Matrix:

Solid

Client's ID:

Prep

Blank

Sample Date:

% Moisture:

Lab ID:

Prep Blank

Parameter .	Results	Method	Normal Report Limit	Units	Date Analyzed	
Alkalinity	ND	SM 403(M)	50	mg/Kg CaCO3	09/10/92	
Moisture	NA .	ASTM D2216	.1	% by wt	09/04/92	
На	NA	EPA 9045	NA	pH Units	09/15/92	

Note: Samples for alkalinity analysis were extracted using 10mL water for each 1g sample. These water extracts were analyzed for alkalinity, and the results were calculated in the solid on a dry-weight basis.

NA- Not Applicable ND- Not Detected

ND NOT Detected

NATURE DE MATERIA

GROUP LEADER:

600 Bancroft Way Berkeley, CA 94710

## INORGANICS QC SUMMARY - LAB CONTROL SAMPLE

Work Order:

4294

% Moisture:

NA

Lab ID of LCS:

Alkalinity:

452.22 LCS

Matrix:

Solid

Units:

mg/Kg CaCO3

	Date Analyzed	LCS	Conc	% Rec	Advisory Lin % Rec		
Parameter	LCS	Result	Added	LCS	Lon	High	
Alkalinity	09/10/92	23000.00	23650.00	97	. 80	120	

on Deaton Date 9/28/22 REVIEWER: \_

File:M1QCLCSW

## INORGANIC QC SUMMARY - MS and MSD

Work Order:

4294

% Hoisture:

N A

Alkalinity Moisture pН

Solid

Lab ID Spk/Dup: QC Batch:

Blank Spk 4286.01 4294.01

Matrix:

452.22 451.51 453.34

Units: ag/Kg CaCO3 (Alk) % by wt. (Mois)

pH Units (pH)

	DateResults				RPD	RPD -Conc Added- QC			Percent Recovered	
Parameter	Analyzed MS/Dup	•	MS/Sample	MSD/Dap		Limit	ЖS	KSD	HS	MSD
Alkalinity	09/10/92	0.00	23000.00	23000.00	0	20	23650.00	23650.00	97	97
Hoisture	09/04/92		15.34	18.00	16	20				
рĦ	09/15/92		5.21	5.49	j	20				

\* or N = Outside QC Limit:

QC Limits for % Rec:

125

75 -

Lon Deator ANALYST:

File: H1QCHSWH

**METALS DATA PACKAGE** 

## METALS CASE NARRATIVE WORK ORDER NO.4294 SOILS

The concentration of iron in sample MPA-18 was greater than four times the spike added to the MS and MSD samples. The LCS and duplicate LCS results for iron were checked, and the laboratory was found to be in control. All iron results in this batch are therefore reported unqualified based on matrix spike recovery.

The serial dilution sample result for iron did not agree with the undiluted result within 10%, and the diluted sample result was greater than ten times the iron MDL. All iron results in this batch are therefore flagged with "E".

Client ID's were abridged by the laboratory to facilitate computer entry of analytical data. The following should be used as a reference:

CLIENT ID	ABRIDGED ID
R1-A-8.5'-10'	A-8.5'
R1-V-4.0'-4.5'	V-4.0'
R1-V-18'	V-18'

# Engineering Science - Berkeley Laboratory Inorganics Report

INORGANIC ANALYSES DATA SHEET

		THORGANIC I	WNUTIONO DUIV 8	. صصبید	<b>.</b>		
h Name, E S	BERKELEY L	A B O R A T O R Y	Contract: AI	CEE		A-8.5	,
			94S SAS No.:			SDG No.:	A-3
trix (soil/						le ID: 4294	
CIIX (SOII/Y	vacer): born	-					
vel (low/med	l): LOW_	· 		Date	e Samp	pled : 08/2	7/92
Solids:	_82.	5					
Co	oncentration	Units (ug	/L or mg/kg dry	y we:	ight)	: MG/KG	
	CAS No.	   Analyte	  Concentration	  C	Q	M	
	7439-89-6	Iron	1980	    _	E	   P_	
				- -  - -			
				- -			
				- -			
				- -	<u> </u>		
				- -			
				_ _		<u>                                     </u>	
				_ _  _ _			
				- -			
						<u> </u>	
				- -  - -			
				_   _   _   _			
			<del></del>				
mments:		·					
					<del> </del>		

FORM I - IN

CLIENT SAMPLE ID

# Engineering Science - Berkeley Laboratory Thorganics Report

	_		ganics Report ANALYSES DATA S		1 TO M	CI	LIENT SAMPLE ID
		V-4.0′					
Lab Name: E_S_	_BERKELEY_L!	ABORATORY_	Contract: Al	CE	CE		V-4.0
Lab Code: ESBL	Cas	se No.: 42	94S SAS No.	: -		SI	OG No.: A-3
Matrix (soil/wa	ater): SOIL	_		La	ab Sampl	le ]	ID: 4294.02
Level (low/med)	): LOW	_		Da	ate Samp	pled	d : 08/26/92
% Solids:	_83.8	3				•	
Cor	ncentration	Units (ug	/L or mg/kg dry	y v	veight)	: МС	G/KG
I	CAS No.	   Analyte	  Concentration	C	Q	M	
i	   7439-89-6	Iron	11300	_     _	E	P_	
				—   —			
				   		-	
				_     _		<u> </u>	
				   		<u> </u> _	
				_  _			
	· .			_  _		 	] ]
				_  -			
				_   _		=	
				_  _			 
						<u>                                     </u>	 
				_  _ 		-	 

Comments:	

FORM I - IN

# Engineering Science - Berkeley Laboratory Inorganics Report

		11.01	ganics Report		AT T	mum caunte	TD
ļ	3	NORGANIC .	ANALYSES DATA S	SHEET	CPT	ENT SAMPLE	—, пт
ab Name: E_SBEI	RKELEY_L	ABORATORY_	Contract: Al	FCEE		V-18′	   
b Code: ESBL	Cas	se No.: 42	94S SAS No.:	:	_ SDG	No.: A-3_	
▶ atrix (soil/wate:	r): SOIL_	_		Lab Sar	mple ID	: 4294.03_	
vel (low/med):	LOW	_		Date Sa	ampled	: 08/26/92	) '
Solids:	_90.9	€					
Concei	ntration	Units (ug	/L or mg/kg dry	y weigh	t): MG/	KG .	
·		<u> </u>	1	<u> </u>			
CAS	S No.	Analyte	Concentration	ici Q	М		
74:	39-89-6	Iron	4720	_	P_		
				-			
<u> </u>				! _   ! _			
<u>                                     </u>				[ _			
				_   _			
				_	_ _		•
				_			
				-			
				_			
:				_			
				-	_ _		
				! _	_ _		
				! _   ! _			
				1_1			
<del></del>				<u></u>		<u>·</u>	
<u> </u>							-
omments:							_

FORM I - IN

Fudineering actence - perkerel paperacerl

Inorganics Report

## INORGANIC ANALYSES DATA SHEET

CLIENT SAMPLE ID

Lab Name: E_S_	BERKELEY L	ABORATORY	Contract: AF	CEE	PBLANK
					SDG No.: A-3
Matrix (soil/w	ater): SOIL	_		Lab Sampl	e ID: PREP BLANK
Level (low/med	): LOW_			Date Samp	oled : 09/16/92
% Solids:	100.	2		,	
Co	ncentration	Units (ug	/L or mg/kg dry	y weight):	MG/KG
	CAS No.	   Analyte	  Concentration	C	м
	7439-89-6	  Iron	4.7	UE	P_
				_     _	<del>-                                   </del>
					·
				_	
					·
				_	
					<u>                                     </u>
	1	.		1_1	ll
				<del></del>	
Comments:					

FORM I - IN

# Engineering Science - Berkeley Laboratory

CLIENT SA	AMPLE	ID
-----------	-------	----

		CLI	CLIENT SAMPLE II					
<b>\</b>			SAMPLE RECOVE			MPA-185	51	
ab Name:	E_SBERK	ELEY_LABORATORY_	Contract:	AF(	CEE _		<del></del> .	<del></del>
ab Code:	ESBL	Case No.: 4	294S SAS N	0.:	SDG	No.: A-	-3_	
atrix (so	il/water)	: SOIL			Level (low	/med): ]	LOF	<b>-</b>
Solids f	or Sample	: _94.7						
	Concent	ration Units (ug/	L or mg/kg dry	we	ight):MG/KG			
	  Control							
Analyte	Limit     %R	Spiked Sample Result (SSR) C	Sample   Result (SR)	C	Spike   Added (SA)	%R	   Q	М
Iron		5182.9989_ _	4092.6921	-   -	105.60	_1032.5		P_
	.			<u>                                     </u>			<u> </u>	
	.			_  .   _  .			_   _	
				_ .			-	
							<u> </u>	
	.			.  _   .  _   .		· · · · · · · · · · · · · · · · · · ·	_  _	_
<i>y</i>							_	<u> </u> —
							<u> </u> _	<u> </u> _
				.  _   .			<u> </u> _	<u>  —</u>
1				.    .   _			<u> -</u>	<u>                                     </u>
							-	
· · · · · · · · · · · · · · · · · · ·							<u> </u> _	_
				1_1			<u> </u> _	<u> </u>
				-			-	
<u> </u>							<u> </u>	<u>i —</u>

on	nments:
	· · · · · · · · · · · · · · · · · · ·
ł	
_	

3/90

Fudineering potence - perkered manoracory Inorganics Report

-	u	7	Ŀ	īΑ	Ŧ	J	MMP	ىتىد	ıυ

SPIKE SAMPLE RECOVER	Y

MPA-1852 Lab Name: E\_S\_\_BERKELEY\_LABORATORY\_ Contract: AFCEE\_\_\_\_

Lab Code: ESBL\_\_ Case No.: 4294S SAS No.: \_\_\_\_ SDG No.: A-3\_\_

Matrix (soil/water): SOIL\_\_\_

Level (low/med): LOW\_\_\_

% Solids for Sample: \_94.7

Concentration Units (ug/L or mg/kg dry weight):MG/KG

	1 1		1		1				<u> </u>
	Control    Limit	Spiked Sample		Sample		Spike	2.7		
Analyte	%R	Result (SSR)	C	Result (SR)	C I	Added (SA)	%R	Q	M
Iron		4673.5023_	_	4092.6921	_'! _!	100.57	577.5	_	P_
1	.		_		_			_	
	.		_¦		_  _			_	=
	.		_		_			–	 
	.		_¦		_i			_	$\overline{ }$
	.		_		_			 	
	.		_  _		_; _;			_	
			_		_			 	
			_  _		_			<u> </u>	<u>                                      </u>
	.		 		_			 	<u>  —</u>
			_i		_  _	•		<u> </u> _	! =
			_¦_ 		-  			_	_
			_  _		_i			_	
	.  i		! !		_			_	=
			_  _		_			_	-
	.		_		_			<u> </u>	
			_		_			<b>I</b> _	

Co	mments:

3/90

# Engineering Science - Berkeley Laboratory

Inorganics Report

CLIENT SAMPLE ID

MATRIX SPIKE DUPLICATE

MP	Α.	- 1	8	S	ח

Lab Name: E\_S\_BERKELEY\_LABORATORY\_ Contract: AFCEE\_\_\_\_\_ |

D Code: ESBL\_\_\_ Case No.: 4294S SAS No.: \_\_\_\_ SDG No.: A-3\_\_\_

Matrix (soil/water): SOIL\_

Level (low/med): \_LOW\_\_

Solids for Sample: \_94.7

% Solids for Duplicate: \_94.9

Concentration Units (ug/L or mg/kg dry weight):MG/KG

Analyte	Control     Limit	Sample   Spike (S) C		
Iron		5182.9989	4673.5023	10.3_  _ P_
				]
				/
			_	
<u></u>			_	<u> </u>
	_			
	.			
				- -

## Engineering Science - Berkeley Laboratory Inorganics Report

# BLANK SPIKE SAMPLE

Lab Name:	E_SBERKE	LEY_LABORATORY_	Contract: AFCEE	
Lab Code:	ESBL	Case No.: 4294S	SAS No.:	SDG No.: A-3
Solid LCS	Source:	ESBL-LCSS		
Aqueous LO	CS Source:			

Analyte	Aque	eous (ug/L Found	%R   %R	True	Solio Found (	d (mg/} C	(g) Limit	s	%R
Iron		<u> </u>		100.0	84.9	8	30.0	_120.0	_84.
						_	_	 	
						_			
						_			
							_	·	
						_			
						_			
						_			
	-						_		
							_		
						_	_		
	_			     _		_	_		
					1	_			l

Engineering Science - Berkeley Laboratory
Inorganics Report

## BLANK SPIKE SAMPLE

Lab Nam	ne: E_SBERKEI	LEY_LABORATORY_	Contract:	AFCEE			
ab Cod	le: ESBL	Case No.: 4294S	SAS No.:	<del></del>	SDG N	0.:	A-3
lid I	CS Source: 1	ESBL-LCSS					
<b></b> Aqueous	LCS Source:						

Analyte	Aque	ous (ug/L Found	*)	True	Solid Found C	(mg/kg) Lim	nits	%R
Iron				100.0	87.1 _	[80.0]	120.0	_87.
<u> </u>	_				I			
	_					.		
	_			<u> </u>	·1 -	_ [		
	_							
	_	<u></u>				.		
	_							
	_					_ [ [		
						_[		 
	_			 				
						_		
	_	ll				_		! 

## Engineering Science - Berkeley Laboratory

Inorganics Report

BLANK SPIKE DUPLICATE

							LCSSD	1
Lab	Name:	E_S_	_BERKELEY_	_LABORATORY_	Contract:	AFCEE	l	

Lab Code: ESBL\_\_\_ Case No.: 4294S SAS No.: \_\_\_\_ SDG No.: A-3\_\_\_

Level (low/med): \_LOW\_\_\_ Matrix (soil/water): SOIL\_

% Solids for Duplicate: 100.0 % Solids for Sample: 100.0

Concentration Units (ug/L or mg/kg as received):MG/KG

	Control	   Blank		   Blank Spike	
Analyte	Limit	Spike (S)	CII		RPD   Q  M
  Iron		84.9380	  _	87.1320	2.6_  _P_
	_ [		_		
			_		
			_		-
	. [ ]		_		
			1_!		
			_		
	_		.		
	_				
	_		. _	[	
	_		_   _	_   _	
		1	1 1		111

CLIENT SAMPLE ID

Inorganic Report

EPA SAMPLE NO.

ICP SERIAL DILUTION

MPA-18L Lab Name: E\_S\_BERKELEY\_LABORATORY\_ Contract: AFCEE\_\_\_\_\_

b Code: ESBL\_\_\_ Case No.: 4294S\_ SAS No.: \_\_\_\_ SDG No.: A-3\_\_\_

Level (low/med): LOW\_\_\_ Matrix (soil/water): SOIL\_

## Concentration Units: ug/L

	11	Serial		%		
	Initial Sample	Dilution		Differ-		
Analyte	Result (I) C	Result (S)	CII	ence	Q	M
Iron	    39532.95 _	43887.12	_	11.0_	E	P_
	[ ]		_		<u> </u> _	<u> </u>
			_!!		-	
	!!!!-		-!!		1-	
	[ ]		-		-	¦ —
						i
			_		1_	I
	_   _		_		<u> </u> _	<u> </u>
	!!!_!!		_		<u> </u> _	ļ
	.			l [	-	¦ —
				 	1-	¦ —
					<u> </u>	
			_	ll	_	<u> </u>
	_   _		_	[[	-	!-
				 	-	
	. [ ]				-	¦ —
	.		_     _		i_	i_
			i = i		1_	_
			<u> _</u>	<u> </u>	_	[_
	.   _		-	I	<u> </u>	<b>!</b> —
	.			l	1	.1

Engineering Science - Berkeley Laboratory

Method Detection Limits (Annually)

Lao Name: 1	E_2_BERKEL	EI_LABORA	TORI_	Concract:	AF CLB	<del></del>
Lab Code: I	ESBL C	ase No.:	4294S_	SAS No.:		SDG No.: A-3
ICP ID Numl	per:	TJA_61_	M	Date:	09/01/92	2
Flame AA II	Number:			Matrix: S	SOIL_	
Furnace AA	ID Number	:		(ug/L in	1.00g to	100ml digestate)
	Analyte	(mm)   			MDL (ug/L) 47.0	ll

Comments:

ILMO2.

# Engineering Science - Berkeley Laboratory Inorganics Report

## PREPARATION LOG

Lab Name: E\_S\_BERKELEY\_LABORATORY\_ Contract: AFCEE\_\_\_\_\_

ab Code: ESBL\_\_\_ Case No.:\_4294S\_ SAS No.: \_\_\_\_ SDG No.:A-3\_\_\_

Method: P\_

			· · · · · · · · · · · · · · · · · · ·
EPA		Waiah+	Volume
Sample	Preparation		
No.	Date	(gram)	(mL)
ļ			
A-3	_09/16/92		
A - 5	_09/16/92		
A-8.5'	_09/16/92	1.00	100
LCSS	_09/16/92	1.00	100
LCSSD	_09/16/92	1.00	100
MPA-07	_09/16/92	1.06	100
MPA-18	_09/16/92	1.02	100
MPA-1852_	_09/16/92	1.05	100
MPA-18S1_	_09/16/92	1.00	100
MPB-06	09/16/92	1.03	100
MPB-18	09/16/92	1.00	100
MPC-06	09/16/92	1.00	100
MPD5'8	09/16/92	1.03	100
PBLANK	09/16/92	1.00	100
V-18'	09/16/92	1.06	100
V-4.0'	09/16/92	1.02	100
V-7'3"	09/16/92	1.02	100
VW-8	09/16/92	1.05	100
	<u> </u>		
	.		
	·		
1	, I		I

FORM XIII - IN

ILMO2.1

Engineering actence - between baboracory

Inorganics Report

## ANALYSIS RUN LOG

Lab Name: E\_S\_BERKELEY\_LABORATORY\_ Contract: AFCEE\_\_\_\_\_

Lab Code: ESBL\_\_\_ Case No.: 4294S\_\_ SAS No.: \_\_\_\_ SDG No.:A-3\_\_\_

Instrument ID Number: TJA 61 M\_ Method: P\_

Start Date: 09/17/92

End Date: 09/17/92

				1									Ar	nal	уt	es	;										1
EPA				_															1			1					<u>-T</u>
Sample	D/F	Time	% R	F						. !		. !					!	ļ	. !								ا.
No.				E														1	[	i			 	 			
STD1	1.00	1423		X	¦ –	-	-			-¦	_	-	-	_		_			_	_			_     _	_	_     _	_  _	
STD2		1427		X	i –		_ i		-	_	_ i		_	i	_	i i	i	-i	Ī								
STD3		1432		X	¦ —	_		_		_		_	ı – i		_	_	-i	_i			_						
STD4		1437		X	i —	-	_	-	_		-	_			-		_i	-i	i		j	-					
ICV	1.00			X	-	_	_	_			_		—		_	_		-i	_	_		_					
ICB		1446		X	i –		-	_			ı – i	i — i	_	-			-i	_i	i		i —	_					
ICSA		1451		X	-	-	-	_	 	_			i — i	_	_	-			i – i	_	i -		i —	_			
ICSAB	1.00	•		X		-	-		—   	_ '	-	—	_	i i		-	i	i		_	i –		i —	-	_		
CRI	1.00	,		1	-	-	_	-	-	_		-	—   	i			i			_	i —	i —	i —	-			
PBLANK	1.00			X	¦ —		-	_	-	_	i	_		-	_			i	_	_	i —	-	i —				
ZZZZZZ		1509		1	i –	i —	_	-	-			_	_		_		i	i		i —	i –	j _	i 🗌				1_1
LCSS		1514	<del></del>	X	_	-	_		-		_			_	_	-		_ i		i –	i _		i _				_
LCSSD		1518		X	i –	_	i			_		_	_	j –							I _	I			_		
A-8.5'		1523		X	i –	i –	_	i —	-	_		_	_							Ī_	I _	_	_	_	_	_	I _T
V-4.0'		1527		X	i —	<u> </u>		i –	j –	_	i —	_			i					_	I _	_	1_	<b> </b> _	_	_	-
V-18'		1532		X			_	i —	i	_			i _ i	i _	i	_				_	_	_	_	1_	<u> </u>	_	_
ICCV	the state of the s	1537		X	i	_		i <sup>—</sup>	i _ i						i		_			_	<u> </u>	1_	1_	<b>I</b> _	_	_	T
CCB		1541		X	i –	<u> </u>	i —	<u> </u>	i			_		_	_	l			_	_	_	_	1_	<b>I</b> _	_		1_1
V-7'3"		1546		X	i –	i —	i —				i — i		_		_			_	_	1_	1_	_	_	_	<b> </b>	<b></b> i	_
A-5		1551		Ìх	i _		<u> </u>	i _	i _ i		l l	_	<b> </b>	I _	_	_	_	_	_	<b>I</b> _	1_	_	1_	<b> </b> _	l	_	1_4
A-3		1555		X	Ī	i	i _				I		ا_ ا	_	<b> </b> _	<u> </u>	_	_		1_	1_	<b> </b> _	1_	_	<b> </b> _	_	1_1
VW-8		1600		X	Ι_	ΪŢ	İΞ	Ī	1_	_			_	_	<b> </b> _	I	_		_	_	1_	l	1_	<b> </b> _	_		门
MPA-07		1604		X	i_	i_	ĺΞ	<u> </u>	<u> </u>		_		<b> </b> _	_	<b>I</b> _	<b> </b>	_		_	<b>I</b> _	1_	<b>I</b> _	1_	<b> </b> _	l	l	
MPA-18	1.00	1609		X	Ĭ_	<u> </u>		_	1_	_	_	<b> </b> _	<b> </b> _	1_	1_			_	_	<b> </b> _	1_	<b> </b> _	1_	<b> </b>	<b> </b> _	_	_
MPA-1851	1.00	1614		X	1_	_	_	1_	_	l_	_	l _	l	_	<b> </b> _	<b> </b> _	_	_		l	۱_	_	<u> </u> _	_	<u> </u> _	<u> </u>	
MPA-1852		1618		X	I _	Ì_	_	1_	1_	_	_	_	_	1_	<b> </b>	_	_	_	<b> </b> _	<b>I</b> _	<b> </b> _	l_	<b> </b> _	_	_	<u> </u> _	_
MPA-18L		1623		X	I_	1_	1_	1_	1_		l_	<b> </b> _	<b>I</b> _	_	<b> </b> _	_		_	l _	_	<u> </u> _	_	<u> </u> _	_	<u> </u> _	<u> </u>	<u>  _ Ţ</u>
ccv	1.00	1627	1	_  X	. —	1_	1_	1_	_	<b>I</b> _	<b> </b> _	<b> </b> _	l	1_		<b> </b>	_	_	!_	!_	!	<u> </u> _	! _	!	!_	<u> </u>	! <del></del>
CCB	1.00	1632		_ X	1_	1_	1_	<b> </b> _	<b> </b>		<b> </b>	<b> </b>	<b>I</b> _	_	<b>I</b> _	1_	_	_	_	_	<u> </u> _	<u> </u> _		<u> </u>	ļ	!_	!
MPB-18_	1.00	1637		X		1_	1_	1_	1_	<b> </b> _	<b>I</b> _	<b>I</b> _	<b> </b>	<b> </b> _	<b> </b>	_	_		<u> </u> _	<u> </u> _	<u> </u> _	<u> </u> _	!-	!_	! _	! —	ļ
MPB-06	1.00	1641		X	1_	1_	<b> </b>	1_	1_	<b>I</b> _	<u> </u>	<b> </b> _	l _	1_	<b> </b> _	1_	<u> </u> _	<u> </u>	<u> </u> _	<u> </u> _	!_	<u> </u> _	<u> </u> _	<u> </u> _	<u> </u>	! —	!_!
MPC-06	1.00	1646		_   X	1_	<b>I</b> _	1_	1_	1_	<b> </b> _	1_	<b> </b> _	<b> </b>	<b> </b> _	_	_			<u> </u> _	<u> </u> _	<u> </u> _	! _	!_	! —	! —	! —	ļ <b>-</b>
i		İ		_ _	1_	1_	1_	I_	1_	<b>I</b> _	<b> </b> _	<b>I</b> _	<b>I</b> _	<b>I</b> _	l_	<b> </b> _	_		<b> </b>	l	<b>I</b>	<b> </b> _	<b>I</b> _	<b> </b> _	<b>I</b> _	I _	

Engineering Science - Berkeley Laboratory Inorganics Report

ANALYSIS RUN LOG

Lab Name: E\_S\_BERKELEY\_LABORATORY\_ Contract: AFCEE\_\_\_\_\_

ab Code: ESBL\_\_\_ Case No.: 4294S\_ SAS No.: \_\_\_\_ SDG No.:A-3\_\_\_

Instrument ID Number: TJA 61 M\_

Method: P\_

tart Date: 09/17/92

End Date: 09/17/92

													Αn	al	yt	es	;										1
EPA     Sample	D/F	  Time	% R		1 1		1					1					1	- 1	<u> </u>		_			1	<u> </u>	1	-
No.	D/I		0 11	E			į	į	į	į	į	ļ	į	į	į	į	į	į	į	ļ	į	į	į	į	į	į	ļ
				-!=	_	_	_!	-!	-!	-!	-	-!	-!	-!	-		-	-	-!	-	-	!	-	!	-	- -	-¦
MPD5'8	1.00	1651		X	_	_	-!	-!	-	-!	-!			-!	-!	!	-!	-	-!		!		-!	!	-!		- <u>i</u>
ICSA	1.00	1655		X	-	_	-!	-1	-!	-!	-!	_	_	!	-!		-	-	-¦	-	!			!	-	- -	-¦
CSAB	1.00	1700		X		-!	!	-!	-!	-!	-!	1		!	-!			-¦	-1		-	!	-:	-¦	-	-¦-	-¦
CRI	1.00	1704		-! =	_		-[	-!	-!	_	_		!	-!	!	!		!		!	_	!	-!	-!	-	- -	-¦
ccv		1709		_   X		-	-!	-!	-	-!	_ -	¦	-	-!	_!	!	!	!	-	!	-					-1-	-¦
CCB	1.00	1714		X	_	<u> </u>	_	-!	!	-!	_!	_	_	!	!				-!		!		_¦_¦	!		-¦-	-¦
[		!!		_	<u> </u>		_!	!	-	!		_		!		-	-	-		-		-				-:-	-¦
		!!		-! —	_	-	!	!	!	-!	-	!	-		-	!	-	!	-		_			 	-	- -	-¦
		İ		-			!	-!		-	<u>                                     </u>	!	-	!			-		_		_	 	-	-	-1	-:-	-¦
T				-  -	ļ —	_	!	_!	-!	!		_		-		-			-			 	-	!		- -	-¦
		!		- -	! —			-!	!	_			-	!	_	-	_	-	-	-		! : !		_	-	-¦-	-¦
		<u> </u>		-! —	ļ	_		!			-				_		_	!	_		-			_	-		-¦
		ļ		-!	ļ					_					-		-	_	_	_		<u> </u>		_	-	-1-	-¦
<u> </u>		ļ		-	-	<u> </u>	_		_		-	_	-						_		-	!		-	-		-¦
		Į		-!	! —				_						<u> </u>			-		 		<u> </u>	 	-		-;-	-¦
			ļ	- -				-		_	-							! 				<u> </u> —				-1-	-!
			ļ	-!-	!-	<u> </u> _ ·	_	-		-	_	 			: 	-			¦ —		—		—   	 			-!
			l	-! —	!-	-	-	_					<u> </u> _ !		—		<u> </u> —	-	¦ —			-		-	-		-
				-	!-	! —	_		-			¦	<u> </u> _	<u> </u>	<u> </u>		—	! —	¦ —		! —	-		-	-		-!
Ţ			[ <del></del>	-!	ļ —	<u> </u>	—	_	-	-			-	¦ —	! —	—		¦ —		! —   	¦ —	¦-	 	—	-	_¦.	
		ļ	ļ	- -	<u> </u>	_	<u> </u>		_	—	-	¦ —			_		! —	! ·	¦ —	¦ —	¦ —	1-	¦ —		—   		
			[	- -	ļ	ļ —	-		-					¦	¦ —	_	-	!-	¦ —	¦ —	-	ΙT	-	—		- -	
Ţ			ļ	- -	ļ —	<u> </u>				—		! —	! 	! —	 	-			¦ —	—	¦ —	i –	<u> </u> —	-	-	- i	-
<u></u>		ļ		-   -	!-	<u> </u>	<u> </u> —	_	_		! —	¦ —	-	!	¦ —	¦ —	¦ —	<u> </u>	¦		-	-	— 	¦ —	_		_
		<b>!</b>	l		ļ-	<u> </u>	ļ	_	ļ — ˈ	¦ —	_	! —		<u> </u> —	-	<u> </u>	!-	} — 	! —	!-	¦ —	¦ —	-	¦ —	-		_
7		[	<u> </u>	-! -	!-	<u> </u> –	!			—	-	! —	-	1-	I	-	-		¦ —	¦ —	-	<u> </u> –	-	<u>'</u> —	-		_
		<u> </u>		-!	-	-	ļ	ļ		ļ	!-	<u> </u> —		—	-	-	!-	-	!-	¦ —	! —	!-	[-	¦ —	-	<b>-</b>   ·	
		.	<u> </u>	_  _	!-	!-	—	!	—	<u> </u>	<u> </u> –		! -	!	-	<u> </u>	-	1-	!	¦ —	<u> </u> –	1-	-	-	-	· 	-
	ļ <u></u>	!		-! -	ļ —	-		! —	! —	—	1-	<u> </u>	!-	!	-	<u> </u> –	!-	1-	-	! —	!-	1-	-		-		_
Ţ		.	ļ ———	-!-	<u>  </u>	!-		! —	<u> </u> _	<u> </u> —	-		!-	-		1-	!-	¦	<u> </u> –		-	-		1-	¦ —	-	-
		.	<u> </u>	-   -		1-	<u> </u> —	ļ —	<u> </u>	ļ	-	!-	-	! —	ļ	! —	¦ —	<u> </u> –	!-	¦-	<u> </u>	1-	-	!-	-	-	
				-!-	!-	<u> </u>	! —		<u> </u>	! —	!-	!-	-		<u> </u> –	<u> </u> —	¦ —	<u> </u> —	!-	!-	-	1-	-	-	<u> </u> –	—   ·	_
T	l	.	l	_  _	.   _	I	I	I _	l	I	<b>!</b> —	۱ —	ـــا	۱	۱ —	١	١ —	ı —	١	۱	ı —	<b>'</b> —	' —	١	· —	· I .	

ILMO2.1

# TOTAL KJELDAHL NITROGEN TOTAL PHOSPHATE SOIL CLASSIFICATION DATA PACKAGE



# SEQUOIA ANALYTICAL

680 Chesapeake Drive • Redwood City, CA 94063 (415) 364-9600 • FAX (415) 364-9233

Engineering Science, Inc. 600 Bancroft Way

Berkeley, CA 94710 Attention: Tom Paulson Client Project ID:

Sample Descript:

Analysis for:

W.O. #4294 Soil

Total Phosphorous

First Sample #: 209-0160

Sampled:

8/26-27/92 Sep 2, 1992

Received: Analyzed:

Sep 16, 1992

Reported:

Sep 21, 1992

## LABORATORY ANALYSIS FOR:

## Total Phosphorous

Sample Number	Sample Description	Detection Limit mg/kg	Sample Result mg/kg
209-0160	R1-A-8.5'-10'	10	79
209-0161	R1-V-4.0'-4.5'	10	110
209-0162	R1-V-18'	10	64
-	Method Blank	10	N.D.

THIS REPORT HAS BEEN
APPROVED AND REVIEWED BY

ESBL PROJECT MANAGER

DATE

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL** 

Please Note:

Analysis results reported on a dry-weight basis.

Tod Granicher Project Manager

PEM

2090160.ENG <4>



Engineering Science, Inc. 600 Bancroft Way

Client Project ID:

W.O. #4294

Soil

Sampled:

8/26-27/92

Berkeley, CA 94710

Sample Descript: Analysis for:

Total Kjeldahl Nitrogen

Received: Analyzed: Sep 2, 1992 Sep 3, 1992

Attention: Tom Paulson

First Sample #:

209-0160

Reported: Sep 21, 1992

## LABORATORY ANALYSIS FOR:

## Total Kjeldahl Nitrogen

Sample Number	Sample Description	<b>Detection Limit</b> mg/kg	Sample Result mg/kg
209-0160	R1-A-8.5'-10'	20	68
209-0161	R1-V-4.0'-4.5'	20	110
209-0162	R1-V-18'	20	92
-	Method Blank	20	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL** 

Tod Granicher

Project Manager

Please Note:

Analysis results reported on a dry-weight basis.

2090160.ENG <5>

600 Bancroft Way Berkeley, CA 94710 Client Project ID: W.O. #4294

Berkeley, CA 94710 Attention: Tom Paulson

QC Sample Group: 209-0160-62

Reported: Sep 21, 1992

# QUALITY CONTROL DATA REPORT

ANALYTE	Total Kjeldahl	
	Nitrogen	Total Phosphorous
Method:	EPA351.4	EPA365.3
Analyst:	G. Kern	K. Follett
Reporting Units:	. mg/kg	mg/kg
Date Analyzed:	Sep 3, 1992	Jul 16, 1992
QC Sample #:	209-0162	209-0841
Sample Conc.:	84	40
campic cono	0.	
Spike Conc.		
Added:	• 4000	100
Conc. Matrix		
Spike:	4600	120
Matrix Spike		
% Recovery:	113	80
Conc. Matrix		
Spike Dup.:	4600	130
M 1.2 O - 22 -		
Matrix Spike		
Duplicate % Recovery:	113	90
70 Hecovery.	110	30
Relative		
Relative % Difference:	0.0	8.0
% Difference:	0.0	0.0

## **SEQUOIA ANALYTICAL**

Joseph

Tod Granicher Project Manager

% Recover	γ:	Conc. of M.S Conc. of Sample	x 100	
	_	Spike Conc. Added		. •
Relative %	Difference:	Conc. of M.S Conc. of M.S.D.	x 100	
		(Conc. of M.S. + Conc. of M.S.D.) / 2	•	

2090160.ENG <6>

600 Bancroft Way

Berkeley, CA 94710

Client Project ID:

W.O. #4294

Sampled:

Aug 27, 1992

Sample Descript:

Soil, R1-A-8.5'-10'

Received: Analyzed: Sep 2, 1992 Sep 9, 1992

Attention: Tom Paulson

Lab Number:

Method of Analysis: ASTM D422-63 209-0160

Reported:

Sep 21, 1992

# PARTICLE SIZE DISTRIBUTION BY SIEVE AND HYDROMETER

## SIEVE TEST

(A) TOTAL WEIGHT OF SAMPLE:

(B) WEIGHT RETAINED IN NO. 10 SIEVE:

(C) % PASSING NO. 10 SIEVE:

229.98g
0.75g
99.67

SIEVE TEST FOR WEIGHT RETAINED IN NO. 10 SIEVE

IDEAL PAN = 0.0 IDEAL TOTAL = (B)

		WEIGHT		CUMULATIVE	CUMULATIVE
	SIEVE SIZE	RETAINED, g	% RETAINED	% RETAINED	% PASSING
	1½in.	0.0	0.0	0.0	100
	3/8in.	0.0	0.0	0.0	100
-	No. 4	0.0	0.0	0.0	100
	No. 10	0.75g	0.33	0.33	99.67
	PAN	0.0			
	TOTAL	0.75g	1		

#### HYDROMETER TEST

ELAPSED TIME	TEMP.	HYDROMETER	CORRECTED		PARTICLE
(T)	°C	READING (H)	READING (R)	(L)	DIAM. (S)
2	21	22	18	13.3	0.035
5	21	20	16	13.7	0.022
10	21	19	15	13.8	0.016
15	21	18	14	14.0	0.013
25	21	18	14	14.0	0.010
40	21	18	14	14.0	0.0080
60	21	17	13	14.2	0.0067
90	21	17	13	14.2	0.0054
120	21	17	13	14.2	0.0046
1440	21	16	12	14.3	0.0013

WEIGHT OF SOIL USED IN HYDROMETER TEST (D):

HYGROSCOPIC MOISTURE CORRECTION FACTOR (G):

SPECIFIC GRAVITY (ASSUMED):

DISPERSING AGENT CORRECTION FACTOR (E):

MENISCUS CORRECTION FACTOR (F):

TEMP./SPEC. GRAVITY DEPENDANT CONSTANT (K):

_	
ſ	65g
ſ	0.988
ſ	2.65
ſ	3
	1
ſ	0.01348

FORMULAS:

R = H - E - FS = K[SQRT(L/T)]

P = (R/W) 100 $W = (J \cdot 100) / C$ 

 $J = D \cdot G$ 

SEQUOIA ANALYTICAL

Tod Granicher **Project Manager** 

2090160.ENG <1>



600 Bancroft Way Berkeley, CA 94710

Attention: Tom Paulson

Client Project ID:

W.O. #4294 Sample Descript:

Soil, R1-V-4.0'-4.5'

Method of Analysis: ASTM D422-63 Lab Number: 209-0161

Sampled:

Aug 26, 1992

Received: Sep 2, 1992 Analyzed:

Sep 9, 1992

Reported: Sep 21, 1992

## PARTICLE SIZE DISTRIBUTION BY SIEVE AND HYDROMETER

#### SIEVE TEST

(A) TOTAL WEIGHT OF SAMPLE:

(B) WEIGHT RETAINED IN NO. 10 SIEVE:

(C) % PASSING NO. 10 SIEVE:

155.43q 0.50g 99.68

SIEVE TEST FOR WEIGHT RETAINED IN NO. 10 SIEVE

IDEAL PAN = 0.0 IDEAL TOTAL = (B)

	WEIGHT		CUMULATIVE	CUMULATIVE
SIEVE SIZE	RETAINED, g	% RETAINED	% RETAINED	% PASSING
1½in.	0.0	0.0	0.0	100
3/8in.	0.0	0.0	0.0	100
No. 4	0.0	0.0	0.0	100
No. 10	0.50	0.32	0.32	99.68
PAN	0.0		<u> </u>	

TOTAL 0.50

## HYDROMETER TEST

ELAPSED TIME	TEMP.	HYDROMETER	CORRECTED		PARTICLE
(T)	°C	READING (H)	READING (R)	(L)	DIAM. (S)
2	21	29	25	12.2	0.033
5	21	28	25	12.4	0.021
10	21	27	23	12.5	0.015
15	21	27	23	12.5	0.012
25	21	27	23	12.5	0.0095
40	21	26	22	12.7	0.0076
60	21	26	22	12.7	0.0062
90	21	25	21	12.9	0.0051
120	21	24	20	13.0	0.0044
1440	21	24	20	13.0	0.0013

WEIGHT OF SOIL USED IN HYDROMETER TEST (D): HYGROSCOPIC MOISTURE CORRECTION FACTOR (G):

SPECIFIC GRAVITY (ASSUMED):

DISPERSING AGENT CORRECTION FACTOR (E):

MENISCUS CORRECTION FACTOR (F):

TEMP./SPEC. GRAVITY DEPENDANT CONSTANT (K):

FORMULAS: 65g R = H - E - F0.996 2.65

3

1

0.01348

S = K[SQRT(L/T)]

P = (R/W) 100 $W = (J \cdot 100) / C$ 

 $J = D \cdot G$ 

**SEQUOIA ANALYTICAL** 

Tod Granicher

**Project Manager** 

2090160.ENG <2>



600 Bancroft Way

Berkeley, CA 94710 Attention: Tom Paulson

Client Project ID: Sample Descript: W.O. #4294

Soil, R1-V-18'

Method of Analysis: ASTM D422-63 Lab Number: 209-0162

Sampled:

Aug 26, 1992

Received: Analyzed:

Sep 2, 1992 Sep 9, 1992

Reported:

Sep 21, 1992

# PARTICLE SIZE DISTRIBUTION BY SIEVE AND HYDROMETER

#### SIEVE TEST

(A) TOTAL WEIGHT OF SAMPLE:

(B) WEIGHT RETAINED IN NO. 10 SIEVE:

(C) % PASSING NO. 10 SIEVE:

185.38g
38.93g
79.00

SIEVE TEST FOR WEIGHT RETAINED IN NO. 10 SIEVE

IDEAL PAN = 0.0 IDEAL TOTAL = (B)

		WEIGHT		CUMULATIVE	CUMULATIVE	
	SIEVE SIZE	RETAINED, g	% RETAINED	% RETAINED	% PASSING	
ſ	1½in.	0.0	0.0	0.0	100	
Ī	3/8in.	0.0	0.0	0.0	100	
Ì	No. 4	5.49	2.96	2.96	97.04	
Ì	No. 10	33.44	18.04	21.00	79.00	
Ì						
Ī						
	PAN	0.0				
	TOTAL	38.93				

#### HYDROMETER TEST

ELAPSED TIME	TEMP.	HYDROMETER	CORRECTED		PARTICLE
(T)	°C	READING (H)	READING (R)	(L)	DIAM. (S)
2	21	22	18	13.3	0.035
5	21	20	16	13.7	0.022
10	21	19	15	13.8	0.016
15	21	19	15	13.8	0.013
25	21	19	15	13.8	0.010
40	21	18	14	14.0	0.0080
60	21	18	14	14.0	0.0065
90	21	18	14	14.0	0.0053
120	21	17	13	14.2	0.0046
1440	21	17	13	14.2	0.0013

% SUSPENDED
(P) 28
28
25
23
22
22
22 22 22 20 20 20
20
20
20
19

WEIGHT OF SOIL USED IN HYDROMETER TEST (D): HYGROSCOPIC MOISTURE CORRECTION FACTOR (G): SPECIFIC GRAVITY (ASSUMED):

DISPERSING AGENT CORRECTION FACTOR (E):

MENISCUS CORRECTION FACTOR (F):

TEMP./SPEC. GRAVITY DEPENDANT CONSTANT (K):

65g	FORMUL
0.991	R=H
2.65	S = K
3	P = (F
1	W =
0.01348	J =

AS: - E - F

[SQRT(L/T)] R/W)100


= (J·100)/C


D G


SEQUOIA ANALYTICAL

Tod Granicher

Project Manager







OF.

ENGINEERING-BCIENCE

CHAIN OF CUSTODY RECORD

ES JOB	NO.	PROJECT NAME/LOCATION	PRESERVATIVES REQU	REQUIRED	BHIP TO:
  - 		4294			
FIELD CONTACT:	NTACT:		A ANALYBES REQUIRED	ED	
	NAMER	C STGNATURES	1316		
SMAR LENS MILLS	July 6	/ /	SPHIS SPHIS	,	
ESTEL1	.70 M.	ESTELITO M. DELOS TRINOS	The Physics		
		1	76.		
DATE	TIME	FIELD SAMPLE IDENTIFIER	5		пемликв
27/2111.01 0030	2020	RI-A-B,5'-10' (4294,018)	2090	0	2 week TAT
26/2016/26	7400	21-1-40-451(4294,028)	7000	 _9 	Report to Torn Paulentes
,	15/5	RI-V-181 (4294,038	2090	1 6 2	Report resultion
रंज/मगठ ५८		Ì			dry soil basis Riport
					My/MSD & Stink rosults
					Total phaso. by 365.3
					7KN 64 3512
_ [		MY: THOUTAHED BY:	Me	DATE: 9	177 CITIME: (122)
FIELD C	CORTODI	THUX TO XWITH W	ON BECEIPT: CUSTODY	Y BEALB?	; TEMP:
SHIPPED VIA:	VIA:	AIRBILL #		- E- K-C	9 / 1 /02 TIME: // 2/- 12
RECEIVE	3D FOR	RECEIVED FOR LABORATORY BY:		1	1
					10 C 10 C 10 C 10 C 10 C 10 C 10 C 10 C

Baffelle

CHAIN OF CUSTODY RECORD

Form No.

CHAIN OF CUSTOD

0/455 9/4155 BRASS Sleen Add Soil Class of dis. Wichen Bax55 Sleeve Brass Sleeve A melson 9/455 9/4/5 glass Remarks 1-62 602 1000 ō Received by: Received by: (Signature) (Signature) Containers ÌΟ Page. Mumber Container No. Date/Time Date/Time SAMPLE TYPE (\/) Remarks Relinquished by: (Signature) Relinquished by: (Signature) 8/1/93 1930 Date/Time 7 Ź. HGT/x318 Received for Labbratory by: Received by: (Signature) 4.51 4.51 Received by <u>5</u> (Signatune) (Signatuped 101 -8.5'- 10' RI-A-85'-10 SAMPLE 1.D. 5.5 4.0' 4.0 . ⊗/ AFB 30:50 9:15 R1-V-Date/Time Date/Time Date/Time BAUG 93 8/31 Robins **Project Title** 15:45 TIME Stiff Manney Religious (Signature) Relinquished by: (Signature) 0430 1515 Relinquished by: (Signature) 06930 0330 400 400 5151 1400 marky bush SAMPLERS: (Signature) Columbus Laboratories Proj. No. (Job)DE268.03. 26 DUA UC 92 27 AUG 92 26 AUG 92 26 AUB 42 TO AUG 92 26 AUG 92 26 AUG 92 27 AUG 92 27 AUG 92 DATE

# APPENDIX B SITE UST 173 SOIL GAS PERMEABILITY DATA

TABL	TABLE B-1. RESULTS		AS PERMEAB	OF SOIL GAS PERMEABILITY TEST AT MONITORING POINT RI-MPA	MONITORIN	G POINT RI-	МРА
	Pressure	e (psi) at Depth (feet)	n (feet)		Pressur	Pressure (psi) at Depth (feet)	ı (feet)
Time (min)	6′10″	14'3"	21′10″	Time (min)	6′10″	14'3"	21′10″
0	0	0.01	0.01	20	0	0.22	0.25
1	0	0.14	0.23	23	0	0.215	0.25
2	0	0.145	0.235	26	0	0.22	0.25
3	0	0.155	0.235	29	0	0.215	0.25
4	0	0.165	0.235	32	0	0.22	0.25
5	0.005	0.170	0.24	37	0	0.22	0.25
9	0.005	0.180	0.24	42	0	0.205	0.25
7	0.005	0.185	0.24	47	0	0.235	0.25
80	0	0.19	0.239	57	0	0.235	0.25
6	0	0.185	0.245	. 67	0	0.25	0:30
10	0	0.185	0.245	77	0	0.25	0.35
12	0	0.190	0.25	87	0	0.25	0.35
14	0	0.190	0.25	107	0	0.25	0.35
16	0	0.195	0.25	127	0	0.25	0.35
18	0	0.20	0.25	147	0	0.25	0.35

TABL	TABLE B-2. RESULT	rs of soil g	AS PERMEAE	S OF SOIL GAS PERMEABILITY TEST AT MONITORING POINT R1-MPB	MONITORIA	IG POINT R1-	MPB
	Pressure	e (psi) at Depth (feet)	n (feet)		Pressur	Pressure (psi) at Depth (feet)	ı (feet)
Time (min)	8,	15′	23′	Time (min)	8′	15′	23′
0	0>	0>	0.02	23	0.01	0.19	0.20
1	0.005	0.1	0.12	26	0.01	0.19	0.20
2	0.01	0.12	0.135	29	0.01	0.185	0.19
3	0.015	0.13	0.14	32	0.005	0.175	0.19
4	0.025	0.13	0.145	38	0.005	0.18	0.195
5	0.02	0.135	0.155	48	0.03	0.195	0.21
9	0.025	0.14	0.155	53	0.025	0.20	0.22
7	0.025	0.14	0.155	58	0.02	0.2	0.22
∞	0.025	0.145	0.16	89	0.03	0.21	0.235
6	0.25	0.14	0.16	78	0.14	0.25	0.30
10	0.025	0.14	0.16	88	0.10	0.25	0.30
12	0.02	0.16	0.17	98	0.04	0.25	0.27
14	0.015	0.16	0.175	108	<0>	0.24	0.25
16	0.01	0.165	0.185	118	0>	0.22	0.30
18	0.015	0.17	0.19	138	0>	0.22	0.30
20	0.01	0.18	0.20	148	0>	0.21	0:30

TABLI	TABLE B-3. RESUL1	rs of soil g	AS PERMEAB	RESULTS OF SOIL GAS PERMEABILITY TEST AT MONITORING POINT RI-MPC	MONITORIN	G POINT R1-	MPC
	Pressure	e (psi) at Depth (feet)	n (feet)		Pressur	Pressure (psi) at Depth (feet)	n (feet)
Time (min)	8,	15′	23′	Time (min)	8,	15′	23′
0	0	0.02	0.05	26	0.013	0.165	0.165
1	0	0.095	0.10	29	0.015	0.165	0.165
2	0	0.11	0.11	32	0.013	0.173	0.170
3	0.005	0.115	0.119	35	0.013	0.173	0.175
4	0.007	0.12	0.12	40	0.013	0.167	0.163
\$	0.01	0.135	0.135	45	0.015	0.185	0.185
9	0.01	0.145	0.145	50	0.015	0.193	0.193
L	0.01	0.137	0.140	55	0.010	0.193	0.193
8	0.01	0.139	0.140	09	0.017	0.203	0.196
6	0.01	0.140	0.140	70	0.020	0.200	0.196
10	0.01	0.147	0.150	80	0.020	0.220	0.220
12	0.01	0.155	0.155	90	0.020	0.227	0.227
14	0.01	0.155	0.157	100	0.017	0.225	0.222
16	0.013	0.163	0.165	110	0.015	0.222	0.222
18	0.013	0.165	0.167	120	0.025	0.245	0.243
20	0.015	0.180	0.183	140	0.02	0.220	0.220
23	0.013	0.183	0.183				

APPENDIX C

SITE UST 173 IN SITU RESPIRATION TEST DATA




Figure C-1. Oxygen Utilization During In Situ Respiration Test at Monitoring Point R1-MPA-14'3"




Figure C-2. Oxygen Utilization During In Situ Respiration Test at Monitoring Point R1-MPA-21'10"




Figure C-3. Oxygen Utilization During In Situ Respiration Test at Monitoring Point R1-MPA-15'




Figure C-4. Oxygen Utilization During In Situ Respiration Test at Monitoring Point R1-MPA-23'